

SR PACKAGING

YOUR PRIVILEGE,
OUR SERVICE!



2018
PRODUCT CATALOGUE
SECOND EDITION
2019

DECORATION

SPECIAL TREATMENT



1

Apply to

COLOR SPRAY COATING
Color Spray coating gives product an artistic finish on the packaging; color ranges from glitter coating to metallic coating.

5

Apply to

SOFT TOUCH SPRAY COATING
Soft Touch Spray Coating not only provides a matt and frost looking, but also a delicated soft touch texture on the packaging. Plastics now look more like glass.

2

Apply to

OFF-SET PRINTING
Offset Printing available only in tube decoration, provides a full area of as many as 6 color finest printing.

6

Apply to

FLEXO-PRINTING
Flexo Prints any complicated, sophisticated artwork such as a high resolution photo which can be applied on tubes with perfect finish.

3

Apply to

SILK-SCREEN PRINTING
Silkscreen Printing decorates texts and patterns on product surface. Silkscreen creates a thick, bold and glossy finish compare to offset printing.

7

Apply to

LABELING
Labeling provides multiple color decoration to flat surface or cylinder shaped packaging.

4

Apply to

METALSHEEN
Metalsheen pigment allows any PET package to evince metallic luster.

8

Apply to

HOT-STAMPING
Hot Stamping is available in all metallic colors, enhancing your luxurious brand image.

9

Apply to

GRADIENT PRINTING
The gradient printing on the tube allows you to expand on the color spectrum, adding another layer of sophistication to your overall design. It stands out in the crowd.

10

Apply to

HYDROGRAPHICS
Immersion printing or water transfer printing, applies printed designs to three-dimensional objects, enhancing to a premium look.

11

Apply to

POLYLAMI TUBES
Using SRP's tube decoration parameters, the Polylami tubes give you a new metallic and shiny look to existing PE tube line-ups.

12

Apply to

VACUUM METALIZING
Now offers vacuum metalizing in opaque, translucent, semi-translucent, and gradient metal-sheen effect.

13

Apply to

DOUBLE COAT ANODIZING
"Double coat anodizing aluminium" is a process adds aluminium shrouds on caps with a stunning finish.

14

Apply to

METALLIZING ON CAPS AND BOTTLES
Metalize technique provides packaging an absolutely shine finish. Any further decoration on metalized packaging is achievable.

15

Apply to

FLOW BANDING DECORATION
Elevate your decoration capability, with looks like wood-grain, marble, granite, camouflage, etc. Colours do not fade once injected into the PP form. This decoration can be applied to all kinds of cosmetic caps such as nail polish, lip balms, eye palettes, etc.

16

Apply to

METALLIZATION TECHNIQUE
PP mascara caps, lipsticks, nail lacquers, bottles, jars and more can all be transformed and metalized giving a spectacular razzle dazzle premium look that takes away spotlights from other competing products on the shelf.


17

Apply to

ALUMINUM COMPONENTS FEATURING BRUSHED METAL
This unique surface process creates a superior, warm and metallic sheer attribution that satisfies designers' cravings for creativity. Can be made in any customizable colour such as festive red, fiery gold, jazzy blue, steely silver, or even in matte shades.



PREFORM TABLE WITH RELATIVE DETAILS





PREFORM

Specifi- cation	Neck size (T)mm	Neck height (H)mm	Length (L)mm	OFC (V)ml
Φ18-5g	18	410	43	10-25
Φ18-7.8g	18	410	61	25-40
Φ18-11g	18	410	67	50-90
Φ18-14g	18	410	90	80-150
Φ20-12g	20	410	75	60-90
Φ20-18.5g	20	400	92	90-180
Φ20-24g(4)	20	410	118	150-240
Φ22-26g	22	410	110	150-250
Φ22-42g	22	410	126	300-500
Φ24-10g	24	410	60	50-90
Φ24-16g(4)	24	410	70	90-150
Φ24-18g	24	410/RVS Nozzel Head	90	100-180
2SRΦ24-20g	24	400Nozzel Head/410	95	100-200
Φ24-23g	24	410	83	100-240
2SRΦ24-25g	24	400/410	118	150-250
Φ24-30g	24	400/410	116	250-350
Φ24-35g	24	400/410	130	250-400
Φ24-39g	24	410	134	300-450
Φ24-42g	24	410/415	145	300-500
Φ28-30g	28	400/410	100	350-600
Φ28-36g	28	410	108	350-650
Φ28-43g	28	410	130	400-700
Φ33-20g(4)	33	400	65	120-180
Φ33-28g	33	400	105	180-550
Φ33-38g	33	400	130	300-500
Φ33-54g	33	400	146	500-1000
Φ38-31.5g	38	400	100	250-400
Φ40-28g	40	Foam Pump/410	83	150-350
Φ43-23g	43	Foam Pump	75	150-350
Φ43-28g	43	Foam Pump	85.5	150-350
Φ48-14g	48	400(G.F)	30.5	50-100
Φ50-16g	50	400(G)	30.5	50-100
Φ50-28g	50	400(F)	65	200-350
Φ63-35g	63	400(F)	75	300-600
Φ65-40g	65	400	90	300-500
Φ65-45g	65	400	90	300-500
Φ67.5-22g	67.5	400(G.F)	41.5	100-250
Φ70-21g	70	400(G.F)	35	100-250
Φ90-27g	90	400(G.F)	33.5	100-250
Φ90-30g	90	400(G.F)	45	200-400
Φ90-66g	90	400	90	1000-1500

Specifi- cation	Neck size (T)mm	Neck height (H)mm	Length (L)mm	OFC (V)ml
Φ90-68g(4)	90	400(F)	95	1000-1500
Φ103-90g	103	400(F)	110	1000-2500
Φ106-58g	106	400(G.F)	70	500-1000
Φ103-105g	106	400	110	1000-2000
Φ110-122g	110	400	135	1500-2500
Φ120-90g	120	400(F)	117	1000-2000
Φ120-120g	120	400(F)	135	1500-3500

COMPARATIVE TABLE ON DIFFERENT SERIES OF BOTTLE



SA-F SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SA-F080	91	80.5	Φ43.4	20/410-12g
SA-F120	134	90.5	Φ49.5	24/410-16g
SA-F150	164	100.5	Φ51.5	24/410-20g
SA-F200	219	110.5	Φ56.2	24/410-23g
SA-F250	269	120.5	Φ59.4	24/410-30g
SA-F300	322	130.5	Φ61.8	24/410-30g
SA-F500	524	173.9	Φ67	24/410-39g

SH-F SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SH-F080	89	78.4	Φ44.2	20/410-12g
SH-F120	132	88.4	Φ50.6	24/410-16g
SH-F150	162	98.4	Φ52.6	24/410-20g
SH-F200	217	108.4	Φ57.5	24/410-23g
SH-F250	267	121.4	Φ59.6	24/410-25g
SH-F300	319	131.4	Φ62.4	24/410-30g

SA SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SA010	14	59.1	Φ21	18/410-5g
SA020	23.5	72.4	Φ24.4	18/410-8g
SA030	37	71.3	Φ30	18/410-7.8g
SA050	53.5	82.5	Φ33	18/410-7.8g
SA060	70	102	Φ33	20/410-12g
SA085	89	98	Φ40	24/410-23g
SA100	108	118.5	Φ39.6	24/415-20g
SA120	132	128.1	Φ40.3	24/410-20g
SA125	142	138.5	Φ40	24/410-20g
SA180-410	202	152.8	Φ45	24/410-25g
SA180-415	204	161	Φ45	24/415-25g
SA200	218	145.8	Φ48.1	24/410-25g
SA240	257	181.9	Φ46.2	24/410-30g
SA420	425	195.3	Φ57	24/410-30g
SA28500	507	222.2	Φ57.9	28/410-43g

SAC SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SAC090	105	80.5	Φ47.5	24/410-10g
SAC120	135	102.8	Φ47.5	24/410-20g
SAC150	165	120.2	Φ47.5	24/410-20g
SAC180	195	138.9	Φ47.5	24/410-25g
SAC200	231	158.9	Φ47.5	24/410-30g
SAC210	225.5	156.8	Φ47	24/410-25g
SAC250	265	181.5	Φ47	24/410-30g
SAC300	316	213	Φ47	24/410-35g
SAC090-B	95	97	Φ41	20/410-18.5g
SAC100-B	110	109.5	Φ41	24/410-20g
SAC120-B	135	128.5	Φ41	24/410-20g
SAC150-B	160	150	Φ41	24/410-25g

SAL SERIES


Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SAL090	94	87.5	Φ47.3	24/410-16g
SAL120	134	112	Φ47.2	24/410-20g
SAL180	191	145.5	Φ47.2	24/410-25g
SAL200	213	153.5	Φ47.2	24/410-25g

SB/ SBC SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SBC-120	132	110.5	40x40	24/410-20g
SBC-150	162	132	40x40	24/410-25g
SB060	67	79	34.5x34.5	20/410-12g
SB120	127.5	102.1	41x41	20/410-18.5g
SB180	200	128.9	45x45	24/410-25g
SB240-410	265	150.3	47.6x47.6	24/410-30g
SB240-415	273	158.4	47.6x47.6	24/415-30g

SD SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SD060	66	87.5	Φ45.2	20/410-12g
SD120	133	114.5	Φ56	24/410-20g
SD180	196	136.5	Φ63.6	24/410-25g
SD240	260	145.5	Φ71.4	24/410-25g





SE SERIES SF SERIES SG SERIES SH SERIES SH-R SERIES SI SERIES SJ SERIES SK SERIES SL SERIES SM/DSS SERIES SN SERIES SP SERIES SQ SERIES SRB SERIES SWA SERIES SXA SERIES



SE/ SF/ SG SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SE150	156	141	Φ43	24/410-20g
SE210	216	164	Φ46	24/410-25g
SF100	108	131.5	49x31	20/415-18.5g
SF250-410	270	169.2	67x41.5	24/410-30g
SF250-415	272	176.7	67x41.5	24/415-30g
SF350	360	192.8	72x47	24/415-35g
SF550	565	207.5	83x52	33/400-54g
SG250	258	178.6	72x60	24/415-28g
SG400	410	216	78x66	24/415-36g

SH-R SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SH-R020	26	61.3	Φ28.3	18/410-7.8g
SH-R035	34.5	78.2	Φ28.3	18/410-11g
SH-R050	59	90	Φ33.2	20/410-12g
SH-R060	70	89.5	Φ35	20/410-12g
SH-R080	89	100	Φ37.8	20/410-12g
SH-R085	100	123.8	Φ34.8	20/410-12g
SH-R100	112	110	Φ40.6	24/410-16g
SH-R120	132	120	Φ41.7	24/410-16g
SH-R150	162	127.6	Φ44	24/410-20g
SH-R200	217	146	Φ48	24/410-25g
SH-R250	258	148.5	Φ51.2	24/410-25g
SH-R300	319	178	Φ51.9	24/410-30g

SL SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SL220	228	154	65.6x38.4	24/415-30g
SL420	424	183.9	80.4x47.3	24/415-36g
SL720	728	174.5	101.6x62.8	33/400-54g

SQ SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SQ150-410	168	176.5	Φ38	24/410-20g
SQ150-415	165	184	Φ38	24/415-20g
SQ300-410	418	219.5	Φ48.8	24/410-30g
SQ300-415	415	227	Φ48.8	24/415-30g

SH SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SH010	13	52.7	Φ22.1	18/410-5g
SH020	22	69.4	Φ24	18/410-7.8g
SH030	33	78.4	Φ27.5	18/410-7.8g
SH045	48	88.3	Φ30	18/140-7.8g
SH050	63	84	Φ35.5	24/410-10g
SH080	81	101.3	Φ36.5	20/410-12g
SH090	95	107.5	Φ38	24/410-10g
SH100	111	118	Φ39.5	20/410-18.5g
SH090-415	93	114	Φ38	24/415-18g
SH120	133	133.8	Φ40	24/410-20g
SH120-410	133	132.7	Φ40	24/410-20g
SH120-415	135	141.2	Φ40	24/415-20g
SH150	164	143.6	Φ42.6	24/410-20g
SH180	188	153.5	Φ44.2	24/410-25g
SH200	210	153.6	Φ47	24/410-25g
SH250	274	163.6	Φ51.4	24/410-30g
SH280	275	171.8	Φ50.2	24/410-30g
SH300	310	175.1	Φ53.2	24/410-30g
SH400	410	196.2	Φ57.1	24/410-36g
SH500	506	212.4	Φ60	28/410-43g

SI SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SI150	147	139.2	Φ44	20/410-18.5g
SI250	245	175.7	Φ50.4	24/410-25g

SJ SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SJ210	224	124	Φ55	33/400-28g
SJ310	323	144	Φ61	33/400-28g
SJ455	462	155.9	Φ70.6	24/410-36g
SJ510	523	140.5	Φ80.5	33/400-38g
SJ800	808	182	Φ83.8	28/410-43g

SK SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SK250	256	147	65x44.5	24/415-28g
SK400	410	167	74x52	24/415-36g

SM/DSS SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SM250	253	148	Φ58.2	24/410-28g
SM400	410	180	Φ62.2	24/410-36g
DSS-250A	263	128	Φ64	28/410-36g
DSS-350A	363	159	Φ64	28/410-36g

SN SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SN250	256	146.5	67.6x48	24/415-28g
SN400	410	166.5	80x54	24/415-36g
SN780	785	193	93.6x68	33/400-54g
SN1030	1049	209.5	105x74.3	33/400-54g

SP SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SP100	114	101.3	Φ43.2	24/410-16g
SP150	165	121.5	Φ47	24/410-20g
SP240	256	138	Φ55	24/410-25g
SP300	306	147	Φ57.5	24/410-25g
SP360	369	149.5	Φ63	24/410-30g
SP500	525	168.8	Φ70.2	24/410-35g

SRB SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SRB-150	168	128.5	43.2x43.2	24/410-25g
SRB-400	425	172.5	60x60	28/410-43g

SWA SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SWA-200	220	89	Φ70	24/410-23g
SWA-250	270	102	Φ70	24/410-23g

SXA SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SXA-120	122	119.5	56x29	20/410-12g
SXA-150	154	131.5	60.5x31	24/410-20g



SYA SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SYA-150	169	128.6	51x46	24/410-20g
SYA-180	200	145.1	52.5x47	24/410-25g

SYC/ SYB-C SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SYC-040	43.5	78.2	Φ34	18/410-9g
SYC-080	83	95.8	Φ41.7	20/410-12g
SYB-200C	212	133	Φ56	24/415-20g
SYB-250C	256	156.3	Φ56	24/415-25g

SYF SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SYF-080	86	94	70x27	20/410-18.5g
SYF-150	163	113.4	88x33.2	24/410-16g

SYG SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SYG-150	170	138.2	Φ50.8	24/410-16g
SYG-200	220	162	Φ52.5	24/410-25g

SYH SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SYH-080	80	81	52.5x42	24/410-10g
SYH-150	150	103.8	62x52	24/410-20g

DSA SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
DSA-020	24	68	Φ24.5	18/410-5g
DSA-030	35	77	Φ28	18/410-7.8g
DSA-040	46	80.5	Φ31	18/410-7.8g
DSA-050	57	90	Φ32.5	18/410-11g
DSA100	114	116	Φ40	24/410-20g
DSA-118	135	127.3	Φ42	24/415-18g
DSA125	140	121	Φ43	24/410-20g
DSA-125B	142	138.5	Φ40	24/410-20g
DSA150	170	136	Φ44	24/410-20g
DSA200	221	154	Φ47	24/410-25g
DSA250	270	159	Φ51	24/410-30g
DSA280	278	160.5	Φ51	24/410-25g

DSB SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
DSB050	56	85.3	30.5x30.5	20/410-12g
DSB100	107	121.8	34x34	20/410-18.5g
DSB150	160	133.8	39x39	20/410-18.5g
DSB200	210	151	42x42	24/410-25g
DSB210	215	153	42x42	24/410-25g
DSB250	263	163.5	45x45	24/410-30g

DSCE SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
DSCE-050B	60	85	35.3x35.3	24/410-10g
DSCE-150B	164	132.4	45.2x45.2	24/410-20g
DSCE-200B	204	172.3	45x45	24/410-25g
DSCE-275B	279	155	54x54	24/410-30g

S SERIES NO.1

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
S20135	138	135.5	60.5x35	20/410-18.5g
S20165	154	135.5	60.7x35	20/410-18.5g
S24150	172	144	61.2x38.4	24/410-20g
S24230-1	236	165	65x42.4	24/410-25g

S SERIES NO.2

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
S28350	352	101	Φ80.1	28/400-30g
S28500	510	112	Φ94.3	28/400-30g
S28540	532	128	Φ88	28/400-30g

S SERIES NO.3

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
S20060	66	91	45.9x26	20/410-12g
S33800B	830	193.5	82.2x66.5	33/400-56g
S331000B	1092	212.5	90x73	33/400-56g

S SERIES NO.4

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
S24250-1	255	161.8	69.4x41.1	24/410-30g
S33750	758	182.8	96x71.5	33/400-54g
S33800A	800	180.1	101.3x67.5	33/400-54g
S33800-1	800	197.8	92.8x71.8	33/400-54g
S331000A	1070	230	101.3x67.5	33/400-54g

S SERIES NO.5

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
S20090-2	93	109.5	56x32	20/410-18.5g
S20110	112	117	60x33.6	20/410-18.5g
S24200	211	142	64.5x40	24/410-25g
S33500	500	178.9	96.5x50.2	33/400-54g

S SERIES NO.6

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
S020100	103	126.7	47x34	20/410-12g
S020150	153	140.5	54x40	20/410-18.5g

SYB SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SYB-040	43.5	82.6	38x27	18/410-9g
SYB-080	83	101	46.3x32.6	20/410-12g



CHS SERIES NO.1 CHS SERIES NO.2 CHS SERIES NO.3 SBP SERIES SABP SERIES SAC-BB SERIES S-A SERIES SA-FH SERIRS SDB050



CHS SERIES NO.1

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
CHS5062B	106.5	105.5	Φ41	20/410-15g
CHS5063B	160.5	122.5	Φ46	24/410-20g
CHS5064B	325.5	153	Φ58	24/410-35g

CHS SERIES NO.2

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
CHS5052B	136	121	Φ43	24/410-25g
CHS5053B	201	144.5	Φ47	24/410-32g

CHS SERIES NO.3

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
CHS5045B	136	115	40x40	24/410-25g
CHS5046B	201	138.5	44x44	24/410-32g

SBP SERIRS

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SBP-150	191	118.3	Φ52	40/410-28g
SBP-200	241	141.2	Φ53	40/410-28g

SABP SERIRS

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SABP-100	139	102.9	Φ46	40/410-28g
SABP-150	189	133	Φ46	40/410-28g

SAC-BB SERIRS

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SAC-050BB	61	93.6	Φ33	20/410-12g
SAC-080BB	86	122.7	Φ33	20/410-12g
SAC-080BB	81	122.7	Φ33	20/410-18.5g

S-A SERIRS

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
S-030A	33	73.5	Φ30.4	18/410-7.8g
S-110A	116	115.6	Φ43.6	24/410-20g
S-157A	158	130.3	Φ47.8	24/410-25g

SA-FH SERIRS

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SA-FH150	165	102	Φ53.1	24/410-20g
SA-FH200	220	112	Φ58.3	24/410-23g
SA-FH250	270	122	Φ61.8	24/410-30g
SA-FH300	322	131.5	Φ64.3	24/410-30g

SDB SERIRS

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
SDB050	58	85.5	32x32	18/410-11g



S20050 S20080A S20090-1 S20095 S20100-1 S20100-2 S20120-1 S20120-2 S24100A




Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
S20050	58	95.3	42x26.6	20/410-12g
S20080A	112	83	Φ48.8	20/410-12g
S20090-1	90	110.3	47.6x30	20/410-18.5g
S20095	102	111.4	45.9x38	20/410-18.5g
S20100-1	103	112.5	55.6x31.5	20/410-18.5g

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
S20100-2	103	107.8	Φ41	20/410-18.5g
S20120-1	132	122.3	54.4x35.2	20/410-18.5g
S20120-2	124	127	56x36	20/410-17g
S24100A	108	108	39.5x39.5	24/410-16g



S24120 S24165 S24230-2 S24250-2 S24325 S28520 S33600 S40500B S43160A



Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
S24120	125	113.5	54x31	24/400-20g
S24165	200	161.5	54.5x39.5	24/410-25g
S24230-2	236	166.5	60x33	24/410-25g
S24250-2	263	127	Φ64	24/410-25g
S24325	333	171.3	72x55.1	24/410-36g

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
S28520	395	206.1	99.2x49.6	28/410-43g
S33600	600	151	96x72	33/400-54g
S40500B	530	133.5	104x68	40/410-28g
S43160A	190	125	Φ48	43/410-28g



Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
TB50-1	54	84	42x42	20/410
TB50-2	54	84	Φ46	20/410
TB50-3	54	84	49x43	20/410
TB50-4	54	84	Φ42	20/410
TB50-5	54	84	Φ44.8	20/410

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
TB50-6	54	84	39x39	20/410
TB50-7	54	84	40x40	20/410
TB50-8	54	84	38.3x38.3	20/410
TB30-1	41	74.6	Φ40	20/410



TB/ TJ SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
TB30-5	37	75.3	Φ40	20/410
TB30-8	41	75.6	36x36	20/410
TB100-5	105	114.3	Φ46	20/410
TJ30	49	33.7	Φ61	56mm
TJ50	65	42	Φ61	56mm
TJ80	98	52.6	Φ61	56mm

H-A SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
H-040A	45	90	Φ31	18/410-19g
H-060A	66	100.5	Φ35.7	20/410-29g
H-120A	135	142.8	Φ41	24/410-46g
H-150A	165.5	151	Φ44	24/410-55g

H-B SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
H-040B	44	87.5	Φ34	18/410-20g
H-060B	67	109	Φ36	20/410-29g
H-120B	137	138.8	Φ44	24/410-46g
H-150B	175	151.7	Φ46	24/410-45g


H-C SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
H-070C	84	89	Φ44	18/410-19g
H-120C	135	123	Φ44	24/410-36g
H-150C	166	147.8	Φ44	24/410-45g

GH PETG SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
GH-08	9.3	27.5	Φ36.3	Φ32mm-17.5g
GH-15	17.5	33	Φ42.3	Φ38mm-26.5g
GH-30	35	37	Φ52.3	Φ48mm-38.5g
GH-50	52.5	37	Φ61.4	Φ58mm-47.7g

PETG JAR




SCREW CAP WITH COVER

Apply to:
24C-SA40: DSA085, DSA100, DSA125
24C-SA44: DSA150, DSA200

SPEC

Material	PP	
Neck Size	24/410	
Item No.	Height	Width
24C-SA40	33 mm	Φ40 mm
24C-SA44	45 mm	Φ47 mm

Cap Section



35.7ML BOTTLE

Bottle Inner Plug

CHS5018

SPEC

Neck Size: 18/410
Cap Material: PP
Bottle Material: PET
OFC: 30ml
Weight: 10g



32ML BOTTLE

CHS5008

SPEC

Neck Size: 15mm
Cap Material: PP
Bottle Material: HDPE+LDPE
OFC: 32ml
Weight: 6.7g



AIRLESS BOTTLE

CHS7021AO-3-B0

SPEC

Cap Material: AS
Bottle Material: PET
Bottle Capacity: 30ml
Neck Size: 20/410
Dosage: 0.18ml



5ML PP BOTTLE

CHS7040L-0

SPEC

Material: PP
Bottle Capacity: 5ml
Neck Size: 13.8mm
Dosage: 0.10ml
Weight: 7.3g

SPRAYER
18/410 Dosage: 0.15ml



SPRAYER
20/410 Dosage: 0.18ml



PUMP / LOTION
24/410 Dosage: 0.18ml



PUMP / OIL
18/410 Dosage: 0.15ml

SPRAYER
24/410 Dosage: 0.18ml



PUMP / LOTION
18/410 Dosage: 0.15ml



PUMP / OIL
20/410 Dosage: 0.18ml

PUMP / LOTION
20/410 Dosage: 0.18ml



PUMP / OIL
24/410 Dosage: 0.18ml



PUMP / JET
18/410 Dosage: 0.15ml



PUMP / LOTION
20/410 Dosage: 0.18ml



PUMP / JET
20/410 Dosage: 0.18ml



PUMP / LOTION
24/410 Dosage: 0.18ml

AIRLESS PUMP
20/410 Dosage: 0.18ml



PUMP / JET
24/410 Dosage: 0.18ml

PUMP / LOTION
18/410 Dosage: 0.15ml



PUMP Dispenser
Material PP 2nd Gen Cleansing Oil Dispenser with syphon feature





PUMP Dispenser Material PP

Cleansing Oil Dispenser with syphon feature.

PATENT. 200920213472.X



A SERIES
24/410


B SERIES
24/410

C SERIES
24/410

D SERIES
24/410

A		B		C		D	
Item No.	Dosage	Item No.	Dosage	Item No.	Dosage	Item No.	Dosage
CHS7003L-0	1.0 ml	CHS7003L-1	1.0 ml	CHS7003L-2	1.0 ml	CHS7003L-3	1.0 ml
CHS7061L-0	0.7 ml	CHS7061L-1	0.7 ml	CHS7061L-2	0.7 ml	CHS7061L-3	0.7 ml

SCREW CAP



SC-A-SR SC-B-SR SC-C-SR SC-D-SR SC-E-SR SC-F-SR SC-H-SR SC-A-WE

DISC CAP



SC-B-WE SC-C-WE DC-A-WE DC-B-WE DC-C-WE DC-D-WE DC-E-WE

FLIP-TOP CAP





FT-A-RC FT-A-WE FT-B-WE FT-C-WE FT-E-WE

SC-A-SR	SC-B-SR	SC-C-SR
Neck size	Neck size	Neck size
24/410	20/410	18/410
	24/410	24/410

SC-D-SR	SC-E-SR	SC-F-SR	SC-H-SR	SC-A-AWE	SC-B-WE	SC-C-WE	DC-A-WE	DC-B-WE
Neck size	Neck size	Neck size	Neck size	Neck size	Neck size	Neck size	Neck size	Neck size
20/410	20/410	24/410	18/410	18/410	20/415	24/415	18/410	18/410
				20/410	24/415		20/410	20/410
				24/410			24/410	24/410
				28/410			18/415	24/415
				33/410			24/415	28/415

DC-C-WE	DC-D-WE	DC-E-WE	FT-A-RC	FT-A-WE	FT-B-WE	FT-C-WE	FT-E-WE
Neck size	Neck size	Neck size	Neck size	Neck size	Neck size	Neck size	Neck size
24/410	24/410	24/415	20/410	20/410	18/415	20/410	24/410
	28/410			24/410	20/415	24/410	
	24/415			28/410	24/415	28/410	
	28/415			28/415	28/415		

PE TUBE & ALUMINUM TUBE INFOGRAPHIC




Our **POLYLAMI**® tubes range from D19 to D50mm with a wide variety of finishes: regular AL, highly metallic AL, regular glossy, matte. Shapes are rounded, oval and super-oval with lip gloss, mascara tube and twist off tube roller-baller tube head styles.




EXTRUDING MACHINE


SINGLE LAYER TUBE




2 LAYER TUBE



5 LAYER TUBE



TUBE DIAMETER & TUBE SHAPE COMPARATIVE TABLE




SCALE 1:1


CAPACITY COMPARATIVE TABLE

Φ	Capacity /ml	Length /mm	Φ	Capacity /ml	Length /mm	Φ	Capacity /ml	Length /mm
13	3	50	40	75	105	50	160	129
	5	60		80	110		165	132
	8	85		85	115		170	135
16	8	70	40	90	120	50	175	138
	10	75		95	125		180	141
19	10	55	40	100	130	50	185	144
	15	80		110	135		190	147
22	15	67	40	120	140	50	195	150
	20	85		125	145		200	153
	25	105		130	150		210	159
25	20	70	40	135	155	50	220	165
	25	80		140	160		230	171
	30	90		145	165		240	177
	35	100		150	170		250	183
	40	110		100	105		170	120
30	45	120	40	110	115	50	175	123
	50	130		120	125		180	126
	30	75		125	130		185	129
	35	82		130	145		190	133
	40	90		135	150		195	137
35	45	98	40	140	155	50	200	140
	50	105		145	160		210	147
	55	113		150	165		220	154
	60	121		155	170		230	161
	65	129		160	175		240	168
40	70	137	40	165	180	50	250	175
	60	105		170	185		260	182
	65	110		175	190		200	120
	70	115		180	195		210	125
	75	120		100	95		220	130
	80	125		110	100		230	135
	85	130		120	105		240	140
	90	135		125	108		250	145
	95	140		130	111		260	150
	100	145		135	114		270	155
45	110	150	40	140	117	50	280	160
	120	155		145	120		290	165
	125	160		150	123		300	185
	130	165		155	126		400	200


ST-33 Series | Leak-Proof Device



ST-33 Series | Leak-Proof Device



Roller Ball Style | Leak-Proof Device





Common Style



MC-02-40 MC-06-40 EC-20-40 OC-08-35



RT4003-MT
MT-03 Φ 40



LC-01-45 LC-02-45 FC-01-55 FC-01-60



RT4501-LT
LT-01 Φ 45
RT5501-LT
LT-01 Φ 55
RT6001-LT
LT-01 Φ 60



Large Aperture Style

Common Style



EC-18-40 EC-18-40 FC-02-35 EC-17-40 FC-03 FC-01-30 MC-05-30



RT4010-MT
MT-10 Φ 40
RT4510-MT
MT-10 Φ 45
RT3518-MT
MT-18 Φ 35
RT4019-MT
MT-19 Φ 40
RT4826-MT
MT-26 Φ 48.9
RT3002-MT
MT-02 Φ 30



(Also available for D45)



LC-01-50 LC-04-50 EC-20-50 FC-04-50 FC-01-50 FC-02-50



RT5001-LT
LT-01 Φ 50
RT5003-LT
LT-03 Φ 50



Special Style

Needle Nose Style




MC-03-40 FC-01-40 FC-04-40 MC-03-35 MC-04-35 MC-05-35 MC-01-35



RT4002-MT
MT-02 Φ 40
RT3502-MT
MT-02 Φ 35



RT1305-ET
ET-05 Φ 13
RT1605-ET
ET-05 Φ 16
RT1905-ET
ET-05 Φ 19
RT2505-ET
ET-05 Φ 25



DC-02-25 OC-13-30 DC-02-22 TC07A-OT



OT2509-OT
OT-09 Φ 25
OT3013-OT
OT-13 Φ 30
OT2214-OT
OT-14 Φ 22
OT3007-OT
OT-07 Φ 30





Small Aperture Style



Small Aperture Style



Dual Chamber Style



Common Style



Airless Pump Style



Airless dispenser



Small Aperture Style



RT356007-YM	CHS7072	RT30ZL-ET
SPEC	SPEC	SPEC
D35mm	I.D.: 15/ O.D.: 36 (Cover)	D30, 35, 40mm
Material: AS/PE	15/410	Material: PP
	Dosage:0.2ml	Dosage:0.3ml



KS-200A SQUARE, KS-350A SQUARE, KS-500A SQUARE, KS-200B ROUND, KS-350B ROUND



KJ-200C SQUARE, KJ-300C SQUARE, KJ-450C SQUARE, KJ-600C SQUARE, KJ-150DS ROUND, KJ-200DS ROUND



KS-500B ROUND, KS-150C SQUARE, KS-200C SQUARE, KS-400C SQUARE, KS-150D ROUND



KJ-350DS ROUND, KJ-500DS ROUND, KJ-200H ROUND, KJ-350H ROUND, KJ-500H ROUND



KS-150DS ROUND, KS-200DS ROUND, KS-200D ROUND, KS-350D ROUND, KS-500D ROUND



KJ SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
KJ-200C	200	62.9	Φ79.5	Φ76mm-46g
KJ-300C	369	78.8	Φ79.5	Φ76mm-46g
KJ-450C	565	78.9	Φ98	Φ93mm-65g
KJ-600C	715	95.7	Φ98	Φ93mm-65g
KJ-150DS	213	60.1	Φ73	Φ76mm-46g
KJ-200DS	264	72.5	Φ73	Φ76mm-46g
KJ-350DS	454	80.5	Φ90	Φ93mm-65g
KJ-500DS	593	102.4	Φ90.3	Φ93mm-65g
KJ-200H	278	62.7	Φ86	Φ76mm-46g
KJ-350H	464	72.8	Φ100	Φ93mm-65g
KJ-500H	641	88.3	Φ103	Φ93mm-65g


KS SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
KS-200A	250	65.4	78x78	Φ76mm-46g
KS-350A	441	75.5	93.5x93.5	Φ93mm-72g
KS-500A	590	80.5	100x100	Φ93mm-72g
KS-200B	250	79	Φ78	Φ76mm-46g
KS-350B	447	91.8	Φ93.5	Φ93mm-72g
KS-500B	591	118.5	Φ93.5	Φ93mm-72g
KS-150C	209	52.9	78x78	Φ76mm-46g
KS-200C	257	62.5	78x78	Φ76mm-46g

KS SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
KS-400C	509	78.5	93.5x93.5	Φ93mm-72g
KS-150D	157	50.3	Φ78	Φ76mm-46g
KS-200D	252	71.5	Φ78	Φ76mm-46g
KS-350D	441	79.7	Φ93.5	Φ93mm-72g
KS-500D	591	104.1	Φ93.5	Φ93mm-72g
KS-150DS	158	50.3	Φ78	Φ76mm-46g
KS-200DS	258	71.5	Φ78	Φ76mm-46g

COMPARATIVE TABLE ON DIFFERENT SERIES OF KILNER JAR



INNER PLUGS FOR KILNER JARS



- ▶ The Inner plug is made of LDPE
- ▶ Helps to get an extended degree of freshness for the bulk content.
- ▶ Ideal for D76 kilner jar.



G048050 G050050A G050080A G050080B G050080C G067015 G067020 GR-150A GR-200A GR-250A GR-300A GR-300B GU-080A GU-150B

ROUND ROUND ROUND OVAL SQUARE ROUND ROUND ROUND ROUND ROUND ROUND ROUND ROUND



G067025 G106050 G106090 G070010 G070015 G070020 G070025 GU-200A GU-200C GUK-200 CHS3005B CHS3003B CHS3006B

ROUND ROUND ROUND ROUND ROUND ROUND ROUND ROUND ROUND ROUND ROUND ROUND

SAN/ PETG JAR

PP JAR


ABS JAR



GA030 GA050 GA070100A GR-130A DSG-035 G057050 GZ-EC-22 DSG-250 GZ-050-010

ROUND ROUND ROUND ROUND ROUND ROUND ROUND ROUND ROUND

COMPARATIVE TABLE ON DIFFERENT SERIES OF JAR



G048/ G050 SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
G048050	65	41.5	Φ50.1	Φ48mm-14g
G050050A	69	36	Φ59	Φ50mm-18g
G050080A	100	43	Φ63.5	Φ50mm-16g
G050080B	100	43	68x59	Φ50mm-16g
G050080C	100	43	59.7x59.7	Φ50mm-18g

G106 SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
G106050	650	76	Φ110.5	Φ106mm-58g
G106090	1050	115	Φ111.5	Φ106mm-58g

G067 SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
G067015	185	52.5	Φ73	Φ67.5mm-22g
G067020	240	66.5	Φ73	Φ67.5mm-22g
G067025	295	79.5	Φ73	Φ67.5mm-22g

G070 SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
G070010	139	39.6	Φ73	Φ70mm-21g
G070015	190	51.6	Φ73	Φ70mm-21g
G070020	239	63.6	Φ73	Φ70mm-21g
G070025	289	75.95	Φ73	Φ70mm-21g

GA SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
GA030	58	39.4	Φ76.2	Φ70mm-21g
GA050	78	39.4	Φ76.2	Φ70mm-21g
GA070100A	150	39.4	Φ76.2	Φ70mm-21g

GR SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
GR-130A	208	37	Φ92	Φ90mm-27g
GR-150A	220	39.5	Φ91.7	Φ90mm-27g
GR-200A	270	47.1	Φ91.7	Φ90mm-27g
GR-250A	320	54.9	Φ91.7	Φ90mm-30g
GR-300A	370	62.5	Φ91.7	Φ90mm-30g
GR-300B	370	69.8	Φ91.7	Φ90mm-30g

GU SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
GU-080A	114	39.2	Φ75.4	Φ70mm-21g
GU-150B	188	57.9	Φ73	Φ70mm-21g
GU-200A	238	50	Φ85.4	Φ70mm-21g
GU-200C	239	50	Φ90	Φ70mm-21g
GUK-200	239	47.7	Φ90	Φ70mm-21g

PETG JAR SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
CHS3005B4	230	46	Φ90.1	Φ88.6mm-68.5g
CHS3003B	329	64.5	Φ92.3	Φ89mm-82.5g
CHS3006B5	380	75	Φ90.1	Φ88.6mm-110g

SAN SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
CHS3005B4	230	46	Φ90.1	Φ88.6mm-56.7g
CHS3005B3	235	49	Φ90.1	Φ88.6mm-75.2g
CHS3003B	329	64.5	Φ92.3	Φ89mm-82.5g
CHS3006B5	380	75	Φ90.1	Φ88.6mm-92g
CHS3006B2	375	75	Φ90.1	Φ88.6mm-111.7g

PP JAR SERIES

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
DSG-035	43.7	41.2	Φ55	Φ51.8mm-17g
G057050	76.5	35	Φ59.7	Φ57mm-11.5g
GZ-EC-22	83	28.7	Φ73	Φ70mm-17g
DSG-250	295	42.7	Φ103.6	Φ103mm-26.6g

ABS JAR

Item No.	Volume(ml)	Height(mm)	Width(mm)	Neck size-Weight
GZ-050-010	10	21.1	Φ50	Φ50mm-17.3g

CHS3005B3 & CHS3006B2 ARE THICK WALL STYLE

SR PACKAGING FACTORIES

SHSR

SHANGHAI SR PACKAGING TECHNOLOGY CO.,LTD
Building 2, No. 585 Pinglin Rd., Xinsheng Industrial Area, Zhelin Town, Fengxian District, Shanghai, China
P C : 201416
TEL : +86-21-57577631
FAX : +86-21-57577632

GZSR

GUANGZHOU SANRONG MATERIAL PACKAGING CO.,LTD
No.2 Lijian Rd., Mingzhu Industrial Park, Conghua District, Guangzhou City, Guangdong Province, China
P C : 510931
TEL : +86-20-37965868
FAX : +86-20-37965878

DGSR

DONGGUAN SANRONG DAILY CHEMICAL CONTAINER CO., LTD
Hengjiang Industrial Park, Dongguan City, Guangdong, China
P C : 523397
TEL : +86-769-86642767
FAX : +86-769-86643585

CORPORATE HEADQUARTER

NO. 550, Sishih Rd., Fengyuan Dist., Taichung 42077, Taiwan
TEL : +886-4-25316216
FAX : +886-4-25358692
E-mail: sales@srpackaging.com
www.srpackaging.com

SR PACKAGING USA LTD

7206 95th St, Lubbock, TX 79424
TEL : +1-682-201-6949
E-mail: karon@srpackaging.com

Princeton, New Jersey 08831
TEL : +1-614-286-8877
E-mail : eric@srpackaging.com

JAPAN OFFICE

Shiba City Bldg 11F,3-4-11
Shiba,Minadoku,Tokyo 105-0014 Japan
TEL : +81-03-3456-3271
FAX : +81-03-3456-3270



www.srpackaging.com