


宁波金舟日用品有限公司
NINGBO JINZHOU COMMODITY CO.,LTD.

地址: 浙江余姚兰江街道直江路庙后头路 7 号
电话: 86-574-62578290 传真: 86-574-62577390
网址: <http://www.color-max.cn>
E-mail: sales@color-max.cn

Add: 7th Miaohoutou Rd Lanjiang Dist Yuyao China
Tel: 86-574-62578290 Fax: 86-574-62577390
URL: <http://www.color-max.cn>
E-mail: sales@color-max.cn



NINGBO JINZHOU COMMODITY CO.,LTD.

宁波金舟日用品有限公司

AUG 2016
CATALOG
VER 0.01



CATALOG

A HANDBOOK OF PACKAGING

MINI TRIGGERS
TRIGGER SPRAYERS
INDUSTRIAL TRIGGERS
PLASTIC BOTTLES
SPRAY PACKAGINGS
SALES@COLOR-MAX.CN

C 公司简介

ompany briefintroduction

宁波金舟日用品有限公司成立于1999年，是一家专业从事设计和制造各种规格的喷雾器生产厂家，主要生产各种PET, PP, PE, PVC及相配套的各种规格的喷头。公司位于余姚市兰江街道工业园区，交通便捷。

目前我司拥有一流的主吹塑技术，领先的制造设备和独特的开模技术，以及全体员工不折不扣的创业精神。我司的新老客户遍及欧美和中东地区，并且90%以上的产品直接出口到国外。

衷心希望能与国内外客户携手合作。

Ningbo Jinzhou was established in 1998 making beverage bottles, though currently, the majority of the company's stock components and new molds are for the cosmetic, personal care, and household industries. Ningbo Jinzhou's in-house design team and quality control personnel guarantee the highest standards in the industry.

The company produces bottles and jars in PET, PE, and PP from over 1,200 stock molds. Also producing its own preforms, the firm is able to offer the same bottle in a variety of gram weights depending on client requirements. With a dynamic R&D team at its disposal, Ningbo Jinzhou constantly develops new designs, tooling, and line extensions.

Not confined to production, Ningbo Jinzhou offers the full package to its clients, which includes a number of decoration and complimentary closure options difficult to find in one place, including silk screening, hot stamping, UV coating, labelling, closures, overcaps, pumps, fine mist and standard sprayers, dispensing closures, aluminum overshells on closures, custom closures, and more.





CONTENTS 目录

 01 MINI TRIGGERS	02 TRIGGER SPRAYERS	03 INDUSTRIAL TRIGGER	 04 PUMP	
 05 COSMETIC BOTTLES	06 OVER CAP BOTTLES	07-09 CYLINDER BOTTLES	10-15 BULLET ROUND BOTTLES	
16 BOSTON ROUND & TRIANGULAR	17-18 CONICAL BOTTLES	 19-20 FOAMER BOTTLES	21-24 OVAL BOTTLE SQUEEZABLE PET	25 SQUARE BOTTLE
26-30 SERIES BOTTLES	 31-32 JARS	33-34 CAPS	35-43 SPRAY BOTTLES	
44-46 REFERENCE ONLY	47 PACKAGINGS	48 EQUIPMENT	49-52 REFERENCE	



WE PRODUCE ALL YOU NEED



MINI TRIGGER SPRAYER
NECK 24/410
OUT PUT 0.25-0.3CC
CASE PACK
1000PCS/CTN
57X37X45CM

NEW!



TS101. 1A

PUSH LOCK



TS101. 1B

PUSH LOCK



TS101. 1C

PUSH LOCK



TS102. 1



DISCHARGE RATE
0.75-0.8ML/T
CASE PACK
500PCS/CTN



TS102. 2



TS102. 3



SPRAYER/
STREAM



SPRAYER/
SPRAYER



28/400



28/410



28/415



TS101. 2A

TWIST LOCK



TS101. 2B

TWIST LOCK



CONTINUED
IN PAGE
35-44



- DISA CHARGE RATE 0.9-1.0ML/T
 - FUNCTION: SPRAYER-STREAM-OFF
 - CASE PACK 500PCS
MEAS:57*37.5*38.5CM
- 360 DEGREE SPRAY
-DUST PLUG AVAILABLE ON THE BOTTOM



NRP105

- COSMETIC PUMP
- NECK 33
- SPRING OUTSIDE/ NO METAL TOUCHING LIQUID



PIN LOCKED PIN LOCKED

TS103. 1A TS103. 2A TS103. 3A TS103. 4A TS103. 5A
28/400 28/400 28/400 28/400 28/400
28/410 28/410 28/410 28/410 28/410

TS103. 1B TS103. 2B TS103. 3B TS103. 4B TS103. 5B
UD 360 UD 360 UD 360 UD 360 UD 360

CONTINUED
IN PAGE
35-44



TS104. 1



TS104. 1



NRB01-1 NRB01-2 NRB01-3 NRB01-4



NRB2-01 NRB2-02 NRB2-03 NRB3-01*



NRB3-02* NRB3-03* NRB3-04* NRB4-01* NRB4-02*

金舟 (code)	容量 (ml)	直径	高度	L	W	H	CASE PAK	WEIGHT
NRB01-1	170ML	56	95	48	30	58	250	21
NRB01-2	190ML	56	105					25
NRB01-3	200ML	56	108					25
NRB01-4	230ML	56	120	62	44.5	49.5	360	25
NRB02-1	100ML	41	101	62	44	43	672	15
NRB02-2	150ML	-	121	62	44	57	400	25
NRB02-3	200ML	-	157					25
NRB03-1*	75ML	45	68					10
NRB03-2*	150ML	41	139					14
NRB03-3*	170ML	56	94	61	32	48	300	17
NRB03-4*	230ML	56	121	62	44.5	49.5	360	25
NRB04-1*	190ML	-	96	62	44	57	400	17
NRB04-2*	180ML	-	91	62	44	57	400	18

* Bottles are made in PEHD OR PP



OVC01-1* OVC01-2 OVC02-1/M OVC02-2/M OVC02-3/M



OVC03-1 OVC03-2 OVC03-3 OVC04-1 OVC05-1* OVC05-2*

金舟 (code)	容量 (ml)	NECK	直径	高度	L	W	H	CASE PAK
OVC01-1	30	20/410	25.5		61	35	57	1900
OVC01-2	100	24/410	39	140	62	45	38.5	585
OVC02-1/M	60	20/410	33	123	61.5	43	45.5	1190
OVC02-2/M	100	24/410	39	154	62	44	38.5	585
OVC02-3/M	150	24/410	39	195	65.5	44	52	624
OVC03-1	150	24/410	45	130	62	44	53.5	572
OVC03-2	200	24/410	45	158	62	44	65	572
OVC03-3	250	24/410	45	190	62	44	58	429
OVC04-1	75	20/410			58	39	41	960
OVC05-1	30	20/410	26	88	53	32.5	37	1040
OVC05-2	50	20/410	27	118	56.5	39	38.5	960

● "*" the over cap is a part of the pump or FMS do not go fit on the bottle

● "M" the over both have matte and smooth options

THE PACKAGING GOES WITH TWO PART, BOTTLE AND OVER CAP, MAINLY MATCH FINE MIST SPRAYER ALSO CAN ACCESSORIES TREATMENT PUMP



03-1 03-2 03-21 03-3 03-22



03-23 03-24 03-4A 03-58 03-7C



03-25 03-59 03-26 03-9B 03-27



03-49 03-50 03-51 03-28 03-29 03-33A

金舟 (code)	容量 (ml)	NECK	直径	高度	L	W	H	CASE PAK
03-1	10	18/410	24	51	45	39	58	3000
03-2	15	18/410	24	61	45	39	59	2500
03-21	15	18/410	21	64	45	39	59	2500
03-3	20	18/410	24	72	46	39	60	2000
03-22	20	18/410	24	70	46	39	60	2000
03-23	20	20/410	24	70	46	39	60	2000
03-24	20	18/410	25	71	46	39	60	2000
03-4A	25	20/410	28	74	57.5	31	45.5	1368
03-58	30	20/410	26	88	53	32.5	37	1040
03-7C	50	20/410	32	90	57.5	30	46	850

金舟 (code)	容量 (ml)	NECK	直径	高度	L	W	H	CASE PAK
03-25	50	18/410	32	90	61.5	40	37	1008
03-59	50	20/410	27	118	56.5	39	38.5	960
03-26	60	20/410	32	99	62	44	41.5	1080
03-9B	70	20/410	35	91	57	40	47.5	975
03-27	70	20/410	33	102	62	44	57	1340
03-49	70	20/410	36	92	59	41	48	1049
03-50	100	24/410	40	118	62	44	57	772
03-51	120	24/410	40	128	64	46	40	585
03-28	150	24/410	42	136	63	45	56	672
03-29	180	24/410	42	160	55.5	42	49	396
03-33A	200	24/410	53	115	64	44	57	450



03-16 03-47 03-47B 03-47C 03-52 03-78



03-3 03-30 03-5B 03-5A 03-7B 03-8A



03-67 03-78A 05-13 03-53 03-54 03-89



03-88 03-8 03-8B 03-9C 03-11A 03-12B

金舟 (code)	容量 (ml)	NECK	直径	高度	L	W	H	CASE PAK
03-16	220	24/410	43	185	55.5	43.5	57	396
03-47	240	24/410	49	162	62.5	45	50	360
03-47B	240	24/410	50	154	64	45	48	360
03-47C	240	24/410	51	156	65.5	46	49	360
03-52	250	24/410	45	124	62	44	62	429
03-78	250	24/410	51	130	62	45	53.5	440
03-67	270	24/410	52	153	62	43	61	396
03-78A	500	24/410	68	168	61	43	52.5	168
05-13	1000	28/410	81	216	62	44	69	126
03-53	185	24/410	42	165	62	45.5	50.5	504
03-54	570	28/410	62	225	62	44	57	184
03-89	50	20/410	33	92	56	39	38	832

金舟 (code)	容量 (ml)	NECK	直径	高度	L	W	H	CASE PAK
03-3	20	18/410	24	72	46	39	60	2000
03-30	25	20/410	30	64	46	39	60	1700
03-5B	30	20/410	28	80	58.5	39	43	1500
03-5A	30	18/410	30	65	46	39	60	1700
03-7B	50	18/410	31	89	57	38	45	1105
03-8A	50	20/410	33	96	57	40	40.5	896
03-88	50	20/410	32	90.5	54	47	43	112
03-8	60	20/410	32	104	58	35.5	44	800
03-8B	60	20 CRIMP	32	104	57.5	35.5	44	800
03-9C	60	20/410	33	95	57	40	47.5	975
03-11A	80	20/410	37	101	57	41	43	720
03-12B	100	20/410	38	120	62	44	49	780



03-12C 03-13B 03-13D 03-55A 03-91 03-14



03-48 03-17D 03-17A 03-10A 03-38



03-34 03-15A 03-92 03-35 03-56 03-17C



03-39 03-40 03-4C 03-83 03-85

金舟 (code)	容量 (ml)	NECK	直径	高度	L	W	H	CASE PAK
03-12C	100	24/410	39	119	53	42	50	600
03-13B	120	24/410	40	135	65.5	39.5	42	528
03-13D	120	24/410	39	135	48	39	55.5	500
03-55A	120	24/410	41.5	129.5	64	44	53.5	672
03-91	125	24/410	41	142	61.5	43	57.5	672
03-14	150	24/410	41.5	142.5	56	45	45	450
03-34	180	24/410	43	155	62	44	57	535
03-15A	200	24/410	46	155	59	45.5	48.5	396
03-92	220	24/410	45	165				
03-35	230	24/410	48	160	64.5	43	65.5	480
03-56	230	24/410	48	170	62	42.5	52.5	360
03-17C	240	24/410	49	166	62	44	57	396

金舟 (code)	容量 (ml)	NECK	直径	高度	L	W	H	CASE PAK
03-48	240	24/410	48	176	62	44	57	360
03-17D	250	24/410	51	174	55	40	56	270
03-17A	250	24/410	51	184	48	44	56.5	270
03-10A	75	24/410	40	94	62	44	57.5	1080
03-38	120	28/410	44	98	62	44	53	600
03-39	115	28/410	45	94	62	44	56	720
03-40	115	28/410	45	103	62	44	53	600
03-4C	15	18/410	28	49	45	39	59	2500
03-83	15	20/410	26	53	57.5	39	34.5	2140
03-85	30	20/410	30	58	58.5	39.5	42	1710



03-84 03-6 03-4D 03-86 03-7A



03-31 03-87 03-31A 03-9A 03-11B



03-10B 03-11C 03-31B 03-12A 03-90



03-55 03-32 03-13A 03-13C 03-55B

金舟 (code)	容量 (ml)	口径	直径	高度	L	W	H	CASE PAK
03-84	30	18/410	28	62	46	39	60	1700
03-6	40	20/410	31	74	46	39	60	1250
03-4D	40	18/410	31	74	46	39	60	1250
03-86	50	24/410	35	80	57	38.5	41.5	900
03-7A	55	20/410	38	72	45	39	57	900
03-31	60	24/410	41	74	62	42	55	1078
03-87	60	18/410	32	102	57	38.5	53	1190
03-31A	60	24/410	42	75	62	42	55	1078
03-9A	70	20/410	36	95	61	40.5	51	960
03-11B	80	20/410	40	89	58.5	36	46	700

金舟 (code)	容量 (ml)	口径	直径	高度	L	W	H	CASE PAK
03-10B	80	24/410	39	94	62	42	40	720
03-11C	80	24/410	40	89	61	40.5	51	960
03-31B	80	24/410	40	90	60	44	55	1008
03-12A	100	24/410	41	108	62	44	57	840
03-90	100	20/410	42	108				
03-55	110	24/410	41	115	62	44	48	672
03-32	120	24/410	43	116	62	44	57	770
03-13A	125	24/410	47	100	61	43	52	600
03-13C	130	24/410	41	131	62	44	53.5	672
03-55B	130	24/410	42	132	62	44	54.5	672



03-33 03-15B 03-37 03-17B 03-42



03-18 03-65 05-8 05-9

金舟 (code)	容量 (ml)	口径	直径	高度	L	W	H	CASE PAK
03-33	160	24/410	49	111	62	44	57	600
03-15B	200	24/410	52	148	62	44	57	360
03-37	220	24/410	48	159	62.5	43	50	360
03-17B	240	24/410	50	55	60	44	48.5	330
03-42	250	24/410	45	195	62	44	61.5	429
03-18	260	24/410	51	159	62	44	57	370
03-65	500	24/410	64	195	62	45	59.5	216
05-8	250	24/410	57	130	62	42	54.5	320
05-9	500	28/410	71	160	62	44	57	191




03-36 03-46 03-41 03-63 03-20 03-64

金舟 (code)	容量 (ml)	口径	直径	高度	L	W	H	CASE PAK
03-36	260	24/410	51	162	60	4	48.5	330
03-46	260	24/410	61	123	65	43	51	320
03-41	340	24/410	60	144	65	43	60	320
03-63	380	24/410	62	163	61	44	68	288
03-20	390	28/410	59	178	62	44	57	240
03-64	400	24/410	57	193	62	42	61	240



04-126A 04-11D 04-15 04-19

金舟 (code)	容量 (ml)	口径	直径	高度	L	W	H	CASE PAK
04-126A	40	20/410		84				
04-11D	153	24/410		121	62	44	57	460
04-15	200	24/410		152	62	44	57	450
04-19	290	24/410		194	67.5	45	37	330



04-34 04-223 04-35 04-36 04-98



04-143 04-144 04-145



04-37 04-224 06-65 06-33 04-129 06-69



06-73 05-17 05-17A 05-18

金舟 (code)	容量 (ml)	NECK	高度	L	W	H	CASE PAK
04-34	50	18/410	83	57	39	37	704
04-223	110	24/410	99				
04-35	120	24/410	112	62	44	48	600
04-36	160	24/410	134	49.5	37	42	264
04-98	200	24/410	175	62	44	57	450
04-37	240	24/410	147	61	40.5	46.5	252
04-224	300	24/410	148				
06-65	165	24/410	131				
06-33	215	28/400	130				
04-129	180	24/410	189				
06-69	300	28/400					

金舟 (code)	容量 (ml)	NECK	高度	L	W	H	CASE PAK
04-143	140	24/410	148				
04-144	200	24/410	162				
04-145	200	24/410	148				
06-73	500	28/400					
05-17	250	24/410	136				
05-17A	295	24/410	139	62	44	57	280
05-18	500	28/410	170				



TEL: 86-574-62578290

WWW.COLOR-MAX.CN



FMB01-1 FMB01-2 FMB01-2 FMB02-1 FMB02-2



FMB03-1 FMB03-2 FMB04-1 FMB04-2 FMB04-2

金舟 (code)	容量 (ml)	NECK	直径	高度	L	W	H	CASE PAK
FMB01-1	80	28/410		80				
FMB01-2	110	28/410		88				
FMB01-2	300	43/410		126	61.5	44	62	240
FMB02-1	80	28/410	38	97				
FMB02-2	120	28/410						
FMB03-1	60	30/410	35	89	57	35	49	720
FMB03-2	85	30/400	35	105				
FMB04-1	100	43/410	47.5	104				
FMB04-2	170	43/410	47.5	125	62	44	52.5	480
FMB04-2	210	43/410	47.5	157	62	44	49	360



02-1A 04-204 0-2A 02-2B 02-3



04-9C 02-4 04-10 02-5 04-139

金舟 (code)	容量 (ml)	NECK	高度	L	W	H	CASE PAK
02-1A	25	18/41	73	45	39	57	1900
04-204	30	20/410		57.5	39.5	48	1560
0-2A	50	20/410	86	57	40	40	900
02-2B	50	18/410	85	57	40	40	900
02-3	100	20/410	101	62	44	53	800
04-9C	100	20/410	117	62	44	58	890
02-4	120	24/410	116	50	36	37	336
04-10	120	20/410	134	60	42	47	540
02-5	180	24/410	128	53	44	53	360
04-139	240	24/410	160	62	43	48.5	294



04-48 02-6 04-50 04-118 02-7



05-15 05-31 02-8 04-11A 04-16B

金舟 (code)	容量 (ml)	NECK	高度	L	W	H	CASE PAK
04-48	130	24/410	140	55.5	42.5	53	576
02-6	250	24/410	137	62	44	57	384
04-50	280	24/410	166	62	44	51	300
04-118	300	24/410	200	64	44	61.5	360
02-7	400	28/410	160	53.5	43.5	49	168
05-15	600	28/410	168				
05-31	600	32/410	165				
02-8	750	32/410		63	43	56	114
04-11A	150	24/410	135	62	44	57.5	448
04-16b	230	24/415		61	49	55	360



04-128 04-130 04-131 04-132 04-133



04-189 04-190 04-191 04-28 04-29

金舟 (code)	容量 (ml)	NECK	高度	L	W	H	CASE PAK
04-128	125	24/410	126				
04-130	100	24/410	90	58.5	41.5	47.5	600
04-131	150	24/410	107	61.5	42.5	55	525
04-132	250	28/410	132	60.5	41	54.5	312
04-133	400	28/410	152	61	47.5	62	264
04-189	100	20/410	111				
04-190	120	24/410	122				
04-191	200	24/410	141	62	45.5	46	336
04-28	60	20/410	90	62	45	59	1250
04-29	120	20/410	108	64	44	57	720



04-7A 04-7 04-6B

金舟 (code)	容量 (ml)	NECK	高度	L	W	H	CASE PAK
04-7A	105	20/410	11	62	44	57	800
04-7	90	20/410	105	56	49	45	840
04/6B	60	20/410	104	57.5	38	44	840

SQUEEZABLE BOTTLE



INC01-1 INC01-2 03-83 03-85

金舟 (code)	容量 (ml)	NECK	高度	L	W	H	CASE PAK
INC01-1	200	24/410					
INC01-2	240	24/410					
03-83	15	20/410	62	57.5	39	34.5	2140
03-85	30	20/410	68	58.5	39.5	42	1710



04-6A 04-9D 04-18 04-52 04-53



04-26 04-80 04-81 04-82 04-83



04-56 04-57 04-113 04-127 04-219 04-221



04-84 04-85 04-86 04-95

金舟 (code)	容量 (ml)	NECK	高度	L	W	H	CASE PAK
04-6A	60	20/410	87	57.5	37	46	935
04-9D	100	20/410	115	57	37	48	640
04-18	240	24/410	175	53.5	45	39	240
04-52	60	20/410	88	62	44	55	1020
04-53	120	20/410	103	60	42.5	52	700
04-56	250	24/410	150	62	44	57	423
04-57	250	24/410	189	53.5	44	39	240
04-113	180	24/410	128	56	47	54	480
04-127	240	24/410		58.5	47	59.5	400
04-219	500	28/410	190	61	43.5	59	210
04-221	500	32/410	156	62	44	57	186

金舟 (code)	容量 (ml)	NECK	高度	L	W	H	CASE PAK
04-26	60	20/410	109	62	44	57	1000
04-80	50	20/410	100	59	37	52	1020
04-81	100	20/410	123	59	45	48.5	672
04-82	120	20/410	132	46	39	60	420
04-83	150	24/410	150	62	44	57	500
04-84	200	24/410	157	62	44	49	324
04-85	240	24/410	164	61	43	52.5	297
04-86	80	20/410	110				
04-95	180	24/410	158				



04-9B 04-17A 04-24 04-126 04-45 04-46



04-16C 04-47 04-87 04-88 04-89 04-90

金舟 (code)	容量 (ml)	NECK	高度	L	W	H	CASE PAK
04-9B	100	20/410	105	50.5	37	47.5	450
04-17A	240	24/410	155	62	45.5	49.5	336
04-24	50	20/410	93	62	44	57	1400
04-126	80	20/410	82	46	33	60	800
04-45	120	24/410	125	62	44	51.5	720
04-46	130	24/410	135	62	44	52.5	318
04-16C	230	24/410	179	62	42.5	53.5	318
04-47	400	24/410	196	62	44	60	252
04-87	60	20/410	103				
04-88	130	20/410	135				
04-89	250	24/410	170	62	44	52.5	318
04-90	430	24/410	196				



04-91 04-92 04-93 04-94



04-108A 04-108 04-109 04-58 04-59 04-60

金舟 (code)	容量 (ml)	NECK	高度	L	W	H	CASE PAK
04-91	115	24/415	123	62	44	57	650
04-92	200	24/415	144	62	43	59.5	392
04-93	290	24/415	165	62	44	51	273
04-94	360	24/415	173				
04-108A	250	24/410	136	62	44	56	320
04-108	280	24/410	148	62	44	57	320
04-109	500	28/410	172	62	44	53	168
04-58	150	24/410	118	62	44	48	423
04-59	250	24/410	145	64	44	58	320
04-60	500	24/410	165	62	42	64.5	216



04-192

04-193

04-194

04-195



04-199

04-200

04-201

04-187

04-188

金舟 (code)	容量 (ml)	NECK	高度	L	W	H	CASE PAK
04-192	20	15/410	63				
04-193	100	20/410	90				
04-194	250	24/410	119				
04-195	500	28/410	148				
04-199	250	24/410	182				
04-200	500	28/410	228				
04-201	800	32/410	250				
04-187	90	24/410	117				
04-188	250	24/410	154				



04-75

04-63

04-64



04-28

04-29

04-27

04-215

04-216

金舟 (code)	容量 (ml)	NECK	高度	L	W	H	CASE PAK
04-75	60	18/410	125	50	36	39	540
04-63	150	24/410	163	62	44.5	51	429
04-64	300	24/410	195	62	43	59	264
04-28	60	20/410	91	62	45	59	1250
04-29	100	20/410	107	64	44	57	720
04-27	59	20/410	108	57.5	35	44	672
04-215	100	24/410	117	54	48	48.5	680
04-216	250	24/410	158	62	45	50	



JAR01-1 JAR01-2 JAR01-3 JAR01-4 JAR01-5 JAR01-6



JAR02-1 JAR02-2 JAR02-3 JAR02-4



JAR03-1 JAR03-2 JAR03-3 JAR03-4 JAR03-5 JAR03-6



JAR04-1 JAR04-2 JAR04-3

金舟 (code)	容量 (ml)	L	W	H	WEIGHT	CASE PAK
JAR01-1	5	58	42	30	7.8	2500
JAR01-2	10	58	42	30	11.9	1500
JAR01-3	20	58	42	30	17.7	940
JAR01-4	30	58	44	33		800
JAR01-5	50	58	44	33		500
JAR01-6	80	58	44	33		400
JAR02-1	30	57	43	30	15.8	840
JAR02-2	50	62.5	51	39	26	800
JAR02-3	50	64	54	34	27.6	600
JAR02-4	150					
JAR3-1	3	58	43	30	3.7	5010
JAR3-2	5	58	43	30		4020
JAR3-3	8	58	43	30	5.6	3330
JAR3-4	10	58	44	33	8.2	2280
JAR3-5	15	58	43	30	10.5	1710
JAR3-6	20	58	44	33		1539
JAR04-1	20	57	43	30	13.7	1250
JAR04-2	25	57	43	30	15.4	1000
JAR04-3	30	57	43	30	17.3	910



JAR05-1 JAR05-2 JAR05-3 JAR05-4 JAR05-5



JAR05-6 JAR05-7 JAR05-8 JAR05-9 JAR05-10



JAR06-1 JAR06-2 JAR06-3 JAR06-4 JAR06-5



JAR06-6 JAR06-7 JAR06-8 JAR06-9 JAR06-10

金舟 (code)	容量 (ml)	直径	NECK	高度	L	W	H	WEIGHT	CASE PAK
JAR05-1/JAR06-1	60	50	48	47	54	47	43	11	900
					52	29	28	3.9	3300
JAR05-2/JAR06-2	100	69	65	46	65.5	44	49.5	16	504
					58.5	33	54	10	1230
JAR05-3/JAR06-3	120	69	65	53	63.5	43.5	51.5	16	560
					58.5	33	54	10	1230
JAR05-4/JAR06-4	150	69	65	64	65.5	44	50.5	19	504
					58.5	33	54	10	1230
JAR05-5/JAR06-5	180	69	65	70	65.5	44	49	23	441
					58.5	33	54	10	1230
JAR05-6/JAR06-6	200	69	65	78	65.5	44	47	23	378
					58.5	33	54	10	1230
JAR05-7/JAR06-7	250	69	65	91	65.5	44	46	23	315
					58.5	33	54	10	1230
JAR05-8/JAR06-8	250	92	88	50	62	43	40	32	240
					62	42	48	17	840
JAR05-9/JAR06-9	350	92	88	70				32	
					62	42	48	17	840
JAR05-10/JAR06-10	400	92	88	86				43	
					62	42	48	17	840



ITEM	NECK	MEAS	CASE PACK	NOTE
CAP01-1	18/410	55*35*35	5000	



ITEM	NECK	MEAS	CASE PACK	NOTE
CAP02-1	18/410	55*35*35	10000	RIBBED
CAP02-2	20/410	55*35*46	10000	RIBBED
CAP02-3	24/410	55*35*43	5000	RIBBED
CAP02-4	28/410	54*47*43	5000	RIBBED
CAP02-5	28/400	54*47*43	5000	RIBBED



ITEM	NECK	MEAS	CASE PACK	NOTE
CAP02-6	20/410	55*35*35	10000	SMOOTH
CAP02-7	24/410	55*35*43	5000	SMOOTH



ITEM	NECK	MEAS	CASE PACK	NOTE
CAP03-1	18/410	55*35*35	10000	Alum
CAP03-2	20/410	55*35*46	10000	Alum
CAP03-3	24/410	55*35*43	5000	Alum
CAP03-4	28/410	54*47*43	5000	Alum
CAP03-5	65/400			Alum
CAP03-6	88/410			Alum



ITEM	NECK	MEAS	CASE PACK	NOTE
CAP04-1	18/410	57*32*38	5000	
CAP04-2	20/410	57*32*38	5000	
CAP04-3	24/410	55*35*40	4000	
CAP04-4	28/410	55*35*43	2500	
CAP04-5	20/415	55*35*48	5000	
CAP04-6	24/415	55*38*38	2500	
CAP04-7	28/415	52.5*38*39	2000	
CAP04-8	24/400	55*38*35	2500	RIBBED
CAP04-9	24/410	2 INCH OUTER DOUBLE WALL		



ITEM	NECK	MEAS	CASE PACK	NOTE
CAP05-1	18/410	55*35*46	10000	RIBBED
CAP05-2	20/410	57*32*38	5000	RIBBED
CAP05-3	20/410	57*35*38	5000	SMOOTH
CAP05-4	24/410	55*35*43	4000	RIBBED
CAP05-5	28/410	55*35*46	2900	RIBBED
CAP05-6	28/410	55*35*46	3900	SMOOTH
CAP05-7	28/410	55*35*46	3900	RIBBED



ITEM	NECK	MEAS	CASE PACK	NOTE
CAP05A-1	18/410	55*35*46	9000	
CAP05A-2	24/410	55*35*45	4000	



ITEM	NECK	MEAS	CASE PACK	NOTE
CAP05B-1	24/410	56*35*46	3000	
CAP05B-2	28/410	56*37*46	3000	



ITEM	NECK	MEAS	CASE PACK	NOTE
CAP06-1	20/410	57*32*38	5000	
CAP06-2	24/410	55*35*43	4000	
CAP06-3	28/410	55*35*50.5	3500	
CAP06-4	24/410	55*35*35	2000	with over cap





SPRAYER BOTTLE



JZ05-18(PET) JZ05-19(PET) JZ05-20(PET) JZ05-22(PET)

JZ05-18(PET)
500ml-Ø28/410
h=170mm

JZ05-19(PET)
500ml-Ø24/410
Meas:62X42.5X62cm
180pcs/CTN

JZ05-20(PET)
500ml-Ø28/410
Meas:63X42X68.5cm
189pcs/CTN

JZ05-22(PET)
500ml-Ø28/410
d=74mm,h=177mm



JZ05-23(PET) JZ05-24(PET) JZ05-25(PET) JZ05-27(PET)

JZ05-23(PET)
250ml-Ø28/410

JZ05-24(PET)
250ml-Ø24/400
h=120mm

JZ05-25(PET)
250ml-Ø24/410
h=135mm

JZ05-27(PET)
1000ml-Ø28/410
Meas:62X43X76.5cm
126pcs/CTN

JZ05-28(PET)
300ml-Ø28/410
h=115mm

JZ05-29(PET)
500ml-Ø28/410
h=155mm
Meas:61X44X64cm
200pcs/CTN

JZ05-30(PET)
500ml-Ø24/410
h=182mm
Meas:61X45X57cm
198pcs/CTN

JZ05-31(PET)
600ml-Ø32/410
h=165mm

JZ05-32(PET)
Ø32/410
h=185mm



JZ05-28(PET) JZ05-29(PET) JZ05-30(PET) JZ05-31(PET) JZ05-32(PET)



SPRAYER BOTTLE



JZ06-1(PET)
200ml-Ø24/410
Meas:46X39X60cm
185pcs/CTN

JZ06-2(PET)
250ml-Ø28/400
Meas:45X39X57cm
120pcs/CTN

JZ06-3(PET)
260ml-Ø24/410
Meas:46X39X60cm
220pcs/CTN

JZ06-4(PET)
260ml-Ø28/400
Meas:46X39X60cm
150pcs/CTN

JZ06-5(PET)
275ml-Ø28/400
Meas:45X39X60cm
140pcs/CTN

JZ06-6(PET)
350ml-Ø28/400
Meas:45X39X57cm
100pcs/CTN



JZ06-7(PET)
350ml-Ø28/400
Meas:45X39X57cm
105pcs/CTN

JZ06-8(PET)
450ml-Ø28/400
Meas:45X39X57cm
80pcs/CTN

JZ06-9(PET)
500ml-Ø28/400
Meas:45X39X57cm
84pcs/CTN

JZ06-10(PET)
500ml-Ø28/400
Meas:45X39X57cm
72pcs/CTN

JZ06-11(PET)
550ml-Ø28/400
Meas:45X39X57cm
60pcs/CTN



JZ06-4
260ml-Ø28/400
Meas:45X39X57cm
120pcs/CTN

JZ06-12A
500ml-Ø28/410
h=160mm

JZ06-7
350ml-Ø28/400
Meas:45X39X57cm
80pcs/CTN

JZ06-12
500ml-Ø28/410
Meas:62X44X57cm
144pcs/CTN

JZ06-12A
250ml-Ø28/410
h=160mm

JZ06-13
150ml-Ø28/410
h=81mm
Meas:46X39X60cm
200pcs/CTN

JZ06-14
440ml-Ø28/410
h=162mm
Meas:62X44X57cm
184pcs/CTN

JZ06-15
380ml-Ø28/400



SPRAYER BOTTLE



- JZ06-16**
240ml-Ø28/400
h=129mm
- JZ06-17**
270ml-Ø28/410
h=128mm
- JZ06-18**
300ml-Ø28/410
h=132
- JZ06-19**
250ml-Ø28/400
h=130
- JZ06-20**
350ml-Ø28/410
h=152mm
- JZ06-21**
380ml-Ø28/400
h=165mm
- JZ06-22**
250ml-Ø28/410
h=118mm
Meas:62X44X57cm
364pcs/CTN
- JZ06-23**
330ml-Ø28/410
h=155mm
Meas:62X44X57cm
280pcs/CTN



- JZ06-24**
450ml-Ø28/410
h=195mm
- JZ06-25**
450ml-Ø28/410
h=215mm
- JZ06-26**
500ml-Ø28/410
Meas:63X42X68.5cm
189pcs/CTN
- JZ06-27**
950ml-Ø28/410
d=86mm
h=250mm
- JZ06-28**
230ml-Ø28/410
- JZ06-29**
250ml-Ø28/400
- JZ06-30**
300ml-Ø28/410
h=127mm
- JZ06-31**
500ml-Ø28/410
h=185mm

JZ06-32
1000ml-Ø28/410
Meas:62X43X52.5cm
70pcs/CTN

JZ06-33
200ml-Ø28/400
Meas:45X39X57cm
168pcs/CTN

JZ06-35
500ml-Ø28/400
Meas:45X39X57cm
80pcs/CTN

JZ06-36
300ml-Ø28/400
Meas:45X39X57cm
110pcs/CTN

JZ06-37
300ml-Ø28/400
Meas:45X39X57cm
120pcs/CTN



SPRAYER BOTTLE



JZ06-38
350ml-Ø28/400
Meas:45X39X57cm
100pcs/CTN

JZ06-39
500ml-Ø28/400
Meas:45X39X57cm
80pcs/CTN

JZ06-40
500ml-Ø28/400
Meas:45X39X57cm
80pcs/CTN

JZ06-41
320ml-Ø28/400
Meas:45X39X57cm
85pcs/CTN

JZ06-42
330ml-Ø28/400
Meas:45X39X57cm
100pcs/CTN



JZ06-43
350ml-Ø28/400
Meas:45X39X57cm
100pcs/CTN

JZ06-44
550ml-Ø28/400
Meas:45X39X57cm
75pcs/CTN

JZ06-45
500ml-Ø28/400
Meas:45X39X57cm
80pcs/CTN

JZ06-46
500ml-Ø28/400
Meas:45X39X57cm
80pcs/CTN

JZ06-47
500ml-Ø28/400
Meas:45X39X57cm
80pcs/CTN



JZ06-48
500ml-Ø28/400
Meas:45X39X57cm
75pcs/CTN

JZ06-49
300ml-Ø28/400
Meas:45X39X57cm
105pcs/CTN

JZ06-50
550ml-Ø28/400
Meas:45X39X57cm
70pcs/CTN

JZ06-51
550ml-Ø28/400
Meas:45X39X57cm
65pcs/CTN



SPRAYER BOTTLE



JZ06-52(PVC) JZ06-53(PE) JZ06-54(PE) JZ06-55(PE) JZ06-56(PE)

JZ06-52(PVC)
200ml-Ø28/400
Meas:45X39X57cm
150pcs/CTN

JZ06-53(PE)
200ml-Ø28/400
Meas:45X39X57cm
150pcs/CTN

JZ06-54(PE)
200ml-Ø28/400
Meas:45X39X57cm
150pcs/CTN

JZ06-55(PE)
200ml-Ø28/400
Meas:45X39X57cm
100pcs/CTN

JZ06-56(PE)
450ml-Ø28/400
Meas:45X39X57cm
90pcs/CTN



JZ06-57(PP) JZ06-58(PP) JZ06-59(PE) JZ06-60(PE) JZ06-61(PE)

JZ06-57(PP)
300ml-Ø28/400
Meas:45X39X57cm
100pcs/CTN

JZ06-58(PP)
500ml-Ø28/400
Meas:45X39X57cm
80pcs/CTN

JZ06-59(PE)
300ml-Ø28/400
Meas:45X39X57cm
105pcs/CTN

JZ06-60(PE)
330ml-Ø28/400
Meas:45X39X57cm
120pcs/CTN

JZ06-61(PE)
500ml-Ø28/400
Meas:45X39X57cm
80pcs/CTN



JZ06-62(PVC) JZ06-63(PP) JZ06-64(PP)

JZ06-62(PVC)
750ml-Ø28/400
Meas:45X39X57cm
65pcs/CTN

JZ06-63(PP)
960ml-Ø28/400
Meas:45X39X57cm
45pcs/CTN

JZ06-64(PP)
960ml-Ø28/400
Meas:45X39X57cm
42pcs/CTN



SPRAYER BOTTLE



JZ06-65(PET) JZ06-66(PET) JZ06-67(PET)

JZ06-65(PET)
160ml-Ø28/400

JZ06-66(PET)
200ml-Ø28/400

JZ06-67(PET)
350ml-Ø28/400



JZ06-68(PET) JZ06-69(PET) JZ06-70(PET) JZ06-71(PET)

JZ06-68(PET)
400ml-Ø28/400

JZ06-69(PET)
300ml-Ø28/400

JZ06-70(PET)
350ml-Ø28/400

JZ06-71(PET)
750ml-Ø28/400



JZ06-72(PP) JZ06-73(PD) JZ06-74(PVC)

JZ06-72(PP)
450ml-Ø28/400

JZ06-73(PP)
500ml-Ø28/400

JZ06-74(PVC)
1000ml-Ø28/400



SPRAYER BOTTLE



JZ08-1(PE) 10ml-Ø18/410 **JZ08-2(PE)** 20ml-Ø18/410 **JZ08-3(PE)** 25ml-Ø18/410 **JZ08-4(PE)** 30ml-Ø18/410 **JZ08-5(PE)** 30ml-Ø18/410 **JZ08-6(PE)** 40ml-Ø18/410 **JZ08-7(PE)** 50ml-Ø20/410 **JZ08-8(PE)** 60ml-Ø20/410 **JZ08-9(PE)** 100ml-Ø20/410

JZ08-10(PP)
500ml-Ø28

JZ08-11(PP)
500ml-Ø28/410

JZ08-12(PP)
500ml-Ø28

JZ08-13(PP)
250ml-Ø24/410
d=64mm
h=117mm

JZ08-14(PP)
240ml-Ø24/410
h=160mm



JZ08-10(PP)

JZ08-11(PP)

JZ08-12(PP)

JZ08-13(PP)

JZ08-14(PP)

JZ08-15(PET)
500ml-Ø28/410
h=187mm
Meas:62X44X57cm
160pcs/CTN

JZ08-16(PET)
400ml-Ø28/410
Meas:62X49X51cm
198pcs/CTN

JZ08-17(PET)
500ml-Ø28/410
h=210mm

JZ08-17A(PET)
500ml-Ø28/410
d=85mm
h=230mm

JZ08-18(PET)
750ml-Ø28/410



JZ08-15(PET)

JZ08-16(PET)

JZ08-17(PET)

JZ08-17A(PET)

JZ08-18(PET)



SPRAYER BOTTLE



JZ08-19 15ml-Ø20/410 **JZ08-20** 20ml-Ø18/410 **JZ08-21** 30ml-Ø20/410

JZ08-22 40ml-Ø20/410 **JZ08-23** 60ml-Ø20/410 **JZ08-24** 15ml-Ø20/410

JZ08-25 40ml-Ø20/410
d=34mm
h=92mm **JZ08-26** 100ml-Ø20/410
d=40mm
h=107mm



JZ08-28 150ml Ø24/410 **JZ08-29** 500ml Ø28/410 **JZ08-30** 200ml Ø24/410 **JZ08-31** 130ml Ø24/410 **JZ08-32** 250ml Ø24/410 **JZ08-33** 500ml Ø24/410 **JZ08-34** **JZ08-35** 330ml Ø24/400 **JZ08-36** 500ml Ø28/400 **JZ08-37(PP)** 100ml Ø24/410 **JZ08-38(PP)** 250ml



JZ08-39(PP)



JZ08-40(PP)

www.color-max.cn



JZ09-7(PET)
360ml-Ø61/410
h=110mm
Meas:62X44X57cm
240pcs/CTN

JZ09-10(PET)
250ml
d=72mm,h=77mm

JZ09-8(PET)
830ml-Ø88/410

JZ09-10A(PET)
250ml
d=72mm,h=77mm

JZ09-9(PET)
950ml-Ø62/410



JZ09-11(PET)
1000ml-Ø84

JZ09-19(PET)
1500ml-Ø112

JZ09-20(PET)
2000ml-Ø119

JZ10-1(PET)
90ml-Ø20/410
h=98.5mm

JZ10-2(PET)
80ml-Ø20/410
h=100.5mm
Meas:57X39X41.5cm
572pcs/CTN

JZ10-3(PET)
60ml-Ø18/410
h=110.5mm
Meas:57X39X36cm
840pcs/CTN

JZ10-4(PET)
60ml-Ø18/410
h=124mm

JZ10-5(PET)
70ml-Ø18/410
h=120.5mm

套装系列 Travel Set



JZ07-1

JZ07-2

JZ07-3

JZ07-4



JZ07-5

JZ07-6

JZ07-7

JZ07-8



JZ01-60
15g-Ø20/410
h=95mm

JZ01-60A
14g-Ø18/400
h=98mm

JZ01-61
16.5g-Ø24/410
h=71mm

JZ01-62
22g-Ø28/400
h=96mm

JZ01-63
25g-Ø24/410
h=109mm

JZ01-64
31g-Ø24/410
h=128mm

JZ01-65
17g-Ø24/410
h=93mm

JZ01-24(PET)
23g-Ø28/400
h=91mm
Meas:52X29X28cm
540pcs/CTN

JZ01-25(PET)
25g-Ø28/400
Ø28/410
h=100mm

JZ01-26(PET)
27g-Ø28/400
Ø28/410
h=102mm


JZ01-27(PET)
31g-Ø28/400
Ø28/410
h=107mm

JZ01-28(PET)
32g-Ø28/400
Ø28/410
h=101mm

JZ01-29(PET)
35g-Ø28/410
h=120mm
Meas:52X29X28cm
460pcs/CTN

JZ01-30(PET)
48g-Ø28/410
h=141mm

JZ01-31(PET)
70g-Ø28/410
h=178mm



JZ01-66
20g-Ø24/410
h=94mm

JZ01-67
22g-Ø20/410
h=110mm

JZ01-68
37g-Ø24/410
h=126mm

JZ01-69
35g-Ø32/410
h=108mm

JZ01-70
38g-Ø28/410
h=124mm

JZ01-71
45g-Ø32/400
h=140mm



JZ01-6(PET)
10g-Ø20/410
h=72mm


JZ01-7(PET)
10g-Ø20/410
h=80mm
Meas:42X32X28cm
1000pcs/CTN

JZ01-12(PET)
15g-Ø24/410
h=92mm
Meas:52X29X28cm
850pcs/CTN

JZ01-57(PET)
6g-Ø20/410
h=57mm

JZ01-58(PET)
10g-Ø20/400
h=79mm

JZ01-59(PET)
14g-Ø20/400
h=98mm



JZ01-17(PET)
35g-Ø24/410
h=122mm


JZ01-78
53g-Ø32

JZ01-79
66g-Ø32

JZ01-75
62g-Ø89
h=110mm

JZ01-76
62g-Ø28/400 防溢口
h=82mm

JZ01-77
55g-Ø15/410



JZ01-51(PET)
5.5g-Ø18/410
h=57mm

JZ01-52(PET)
6g-Ø18/410
h=68mm

JZ01-53(PET)
7g-Ø18/410
h=68mm

JZ01-54(PET)
8.5g-Ø28/410
h=53mm

JZ01-55(PET)
16g-Ø20/410
h=93mm

JZ01-56(PET)
33g-Ø28/410
h=126mm



JZ01-18(PET)
19g-Ø28
h=107mm

JZ01-19(PET)
22g-Ø28
h=90mm

JZ01-20(PET)
26g-Ø32/400
h=78mm

JZ01-21(PET)
26g-Ø28
h=127mm

JZ01-22(PET)
32g-Ø32/410
h=120mm

JZ01-23(PET)
45g-Ø32/410
h=131mm



JZ01-1(PET)
4g-Ø18/410
h=42mm

JZ01-2(PET)
6g-Ø20/410
h=54mm
Meas:42X32X28cm
1400pcs/CTN

JZ01-3(PET)
6g-Ø18/410
h=54mm
Meas:42X32X28cm
1700pcs/CTN

JZ01-4(PET)
8g-Ø18/410
h=68mm
Meas:42X32X28cm
1500pcs/CTN

JZ01-5(PET)
8g-Ø20/410
h=68mm
Meas:42X32X28cm
1350pcs/CTN



JZ01-8(PET)
9g-Ø18/410
h=80mm

JZ01-9(PET)
14g-Ø18/410
h=92mm

JZ01-10(PET)
14g-Ø24/410
h=90mm

JZ01-11A(PET)
11g-Ø24/410
h=74mm

JZ01-11(PET)
13g-Ø24/410
h=84mm
Meas:52X29X28cm
1000pcs/CTN



JZ01-13(PET)
18g-Ø24/410
h=93mm
Meas:52X29X28cm
850pcs/CTN

JZ01-14(PET)
21g-Ø24/410
h=95mm
Meas:52X31X28cm
850pcs/CTN

JZ01-15(PET)
23g-Ø24/410
h=105mm
Meas:52X29X28cm
750pcs/CTN

JZ01-15A(PET)
25g-Ø24/410
h=110mm

JZ01-16(PET)
27g-Ø24/410
h=106mm
Meas:52X29X28cm
670pcs/CTN



CASE PACK IN BAGS



CASE PACK WITHOUT BAGS



TUMBLING PACK



TUMBLE PACK



PAPER BOARD & MIX COLOR



MIX COLOR



HANGING TAG



OPP BAG




● LATESTED TECH


High-end Equipment Special Process

高端设备 特种工艺

公司拥有独特的模具设计、制造、全自动注塑成型、全自动装配及检测等一套完整的技术设备。宇航视产品质量为生命，以专业为优势，多年来优质的产品赢得国内外青睐。我们将一如既往的秉承“”求实、完善，铸造品质；和谐、进取，共同发展“”的宗旨，依托高新的技术设备、优良的品质、专业的精神不断的发展创新，努力的打造喷雾行业国际化企业。衷心希望“”七大洲，五大洋“”皆有携手共进的合作伙件。

THE COMPANY HAS A UNIQUE MOLD DESIGN, MANUFACTURING, AUTOMATIC INJECTION MOLDING, AUTOMATIC ASSEMBLY AND TESTING, SUCH AS A COMPLETE SET OF TECHNICAL EQUIPMENT. AEROSPACE PRODUCTS QUALITY AS LIFE, TO PROFESSIONAL ADVANTAGE, FOR MANY YEARS THE QUALITY OF PRODUCTS TO WIN THE FAVOR OF DOMESTIC AND FOREIGN. WE WILL, AS ALWAYS, ADHERING TO THE " REALISTIC, PERFECT, CASTING QUALITY; HARMONY, ENTERPRISING, COMMON DEVELOPMENT " THE PURPOSE, RELYING ON HIGH-TECH EQUIPMENT, EXCELLENT QUALITY, PROFESSIONAL SPIRIT OF CONTINUOUS DEVELOPMENT AND INNOVATION, AND STRIVE TO CREATE A SPRAY INDUSTRY INTERNATIONAL BUSINESS. SINCERELY HOPE THAT THE SEVEN CONTINENTS, FIVE OCEANS, ALL HAVE TO WORK TOGETHER IN PARTNERSHIP.





CLOSURE FOR FINISH NO.	T.P.I.	T SEE NOTE 3		T ₁ SEE NOTE 4	E SEE NOTE 3		E ₁ SEE NOTE 4	H SEE NOTES 5&6	
		MAX.	MIN.	MAX.	MAX.	MIN.	MAX.	MAX.	MIN.
18-410	8	.719	.705	.727	.635	.621	.643	.529	.499
20-410	8	.798	.784	.806	.714	.700	.722	.560	.530
22-410	8	.877	.863	.885	.793	.779	.801	.591	.561
24-410	8	.955	.941	.964	.871	.857	.880	.652	.622
28-410	6	1.103	1.089	1.112	1.009	.995	1.018	.714	.684


CLOSURE FOR FINISH NO.	T.P.I.	T SEE NOTE 3		T ₁ SEE NOTE 4	E SEE NOTE 3		E ₁ SEE NOTE 4	H SEE NOTES 5&6	
		MAX.	MIN.	MAX.	MAX.	MIN.	MAX.	MAX.	MIN.
13-415	12	.528	.515	.536	.468	.455	.476	.458	.428
15-415	12	.595	.582	.603	.535	.522	.543	.563	.533
18-415	8	.719	.705	.728	.635	.621	.644	.623	.593
20-415	8	.798	.784	.807	.714	.700	.723	.748	.718
22-415	8	.877	.863	.886	.793	.779	.802	.843	.813
24-415	8	.955	.941	.964	.871	.857	.880	.963	.933
28-415	6	1.103	1.089	1.113	1.009	.995	1.019	1.088	1.058
33-415	6	1.280	1.266	1.287	1.186	1.172	1.193	1.280	1.250

CLOSURE FOR FINISH NO.	T.P.I.	T SEE NOTE 3		T ₁ SEE NOTE 4	E SEE NOTE 3		E ₁ SEE NOTE 4	H SEE NOTES 5&6	
		MAX.	MIN.	MAX.	MAX.	MIN.	MAX.	MAX.	MIN.
18-400	8	.719	.705	.726	.635	.621	.642	.377	.359
20-400	8	.798	.784	.805	.714	.700	.721	.377	.359
22-400	8	.877	.863	.884	.793	.779	.800	.377	.359
24-400	8	.955	.941	.962	.871	.857	.878	.406	.388
28-400	6	1.103	1.089	1.110	1.009	.995	1.016	.406	.388
30-400	6	1.142	1.128	1.149	1.048	1.034	1.055	.406	.388
33-400	6	1.280	1.266	1.287	1.186	1.172	1.193	.406	.388
35-400	6	1.379	1.365	1.386	1.285	1.271	1.292	.406	.388
38-400	6	1.491	1.477	1.498	1.397	1.383	1.404	.406	.388
40-400	6	1.595	1.581	1.602	1.501	1.487	1.508	.406	.388
43-400	6	1.669	1.655	1.676	1.575	1.561	1.582	.406	.388
45-400	6	1.755	1.741	1.762	1.661	1.647	1.668	.406	.388
48-400	6	1.885	1.871	1.892	1.791	1.777	1.798	.406	.388
51-400	6	1.983	1.969	1.990	1.889	1.875	1.896	.406	.388
53-400	6	2.082	2.068	2.089	1.988	1.974	1.995	.406	.388
58-400	6	2.239	2.225	2.246	2.145	2.131	2.152	.406	.388
60-400	6	2.357	2.343	2.364	2.263	2.249	2.270	.406	.388
63-400	6	2.476	2.462	2.483	2.382	2.368	2.389	.406	.388
66-400	6	2.594	2.580	2.601	2.500	2.486	2.507	.406	.388
70-400	6	2.751	2.737	2.758	2.657	2.643	2.664	.406	.388
75-400	6	2.928	2.914	2.935	2.834	2.820	2.841	.406	.388
77-400	6	3.050	3.036	3.058	2.956	2.942	2.964	.485	.467
83-400	5	3.285	3.269	3.293	3.165	3.149	3.173	.485	.467
89-400	5	3.528	3.512	3.537	3.408	3.392	3.417	.533	.515
100-400	5	3.956	3.938	3.966	3.836	3.818	3.846	.595	.577
110-400	5	4.350	4.332	4.360	4.230	4.212	4.240	.595	.577
120-400	5	4.745	4.725	4.756	4.625	4.605	4.636	.683	.665

Ningbo Jinzhou Commodity Co., Ltd **Quality Assurance**

Date of Issue	01/02/01	Supercedes	05/15/00	By	Jack Seeney	Page	1 of 1
---------------	----------	------------	----------	----	-------------	------	--------

SP-400 FINISH FOR PLASTIC BOTTLES




mm	T		E		H		S		I	HELIX ANGLE β	CUT-TER DIA.	TPI
	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.				
18	.704	.688	.620	.604	.386	.356	.052	.022	.325	3°30'	.375	8
20	.783	.767	.699	.683	.386	.356	.052	.022	.404	3°7'	.375	8
22	.862	.846	.778	.762	.386	.356	.052	.022	.483	2°49'	.375	8
24	.940	.924	.856	.840	.415	.385	.061	.031	.516	2°34'	.375	8
28	1.088	1.068	.994	.974	.415	.385	.061	.031	.614	2°57'	.500	6
30	1.127	1.107	1.033	1.013	.418	.388	.061	.031	.653	2°51'	.500	6
33	1.265	1.241	1.171	1.147	.418	.388	.061	.031	.791	2°31'	.500	6
38	1.476	1.452	1.382	1.358	.418	.388	.061	.031	.987	2°9'	.500	6
43	1.654	1.624	1.560	1.530	.418	.388	.061	.031	1.165	1°55'	.500	6
48	1.870	1.840	1.776	1.746	.418	.388	.061	.031	1.381	1°41'	.500	6
53	2.067	2.032	1.973	1.938	.423	.393	.061	.031	1.578	1°31'	.500	6
58	2.224	2.189	2.130	2.095	.423	.393	.061	.031	1.735	1°25'	.500	6
63	2.461	2.426	2.367	2.332	.423	.393	.061	.031	1.972	1°16'	.500	6
70	2.736	2.701	2.642	2.607	.423	.393	.061	.031	2.247	1°8'	.500	6
83	3.268	3.233	3.148	3.113	.502	.472	.075	.045	2.753	1°9'	.500	5
89	3.511	3.476	3.391	3.356	.550	.520	.075	.045	2.918	1°4'	.500	5
120	4.724	4.689	4.604	4.569	.700	.670	.075	.045	4.131	0°47'	.500	5


Ningbo Jinzhou Commodity Co., Ltd **Quality Assurance**

Date of Issue	01/02/01	Supercedes	05/15/00	By	Jack Seeney	Page	1 of 1
---------------	----------	------------	----------	----	-------------	------	--------

SP-410 FINISH FOR PLASTIC BOTTLES




mm	T		E		H		L	S		I	W	HELIX ANGLE β	CUT-TER DIA.	T.P.I.
	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MIN.	MAX.	MIN.	MIN.	MAX.			
18	.704	.688	.620	.604	.538	.508	.361	.052	.022	.325	.084	3°30'	.375	8
20	.783	.767	.699	.683	.569	.539	.361	.052	.022	.404	.084	3°7'	.375	8
22	.862	.846	.778	.762	.600	.570	.376	.052	.022	.483	.084	2°49'	.375	8
24	.940	.924	.856	.840	.661	.631	.437	.061	.031	.516	.084	2°34'	.375	8
28	1.088	1.068	.994	.974	.723	.693	.463	.061	.031	.614	.094	2°57'	.500	6



"L" STYLE THREAD ALL PURPOSE THREAD (PLASTIC OR METAL CLOSURES)

T.P.I.	a	b	c	R ₁
6	.094	.047	.040	.020
8	.084	.042	.036	.020



"M" STYLE THREAD MODIFIED BUTTRESS THREAD (PLASTIC CLOSURES)


T.P.I.	a	b	c	R ₁	R ₂
6	.094	.047	.039	.010	.030
8	.084	.042	.035	.010	.030

NOTES:

- Dimension "H" is measured from the top of the finish to the point where diameter "T", extended parallel to the centerline, intersects the shoulder or bead.
- A MINIMUM of 1 1/2 full turns of thread shall be maintained.
- Contour of bead, undercut or shoulder is optional. If bead is used, bead dia. and "L" MINIMUM must be maintained.
- Unless otherwise specified, "I" min. applies to the full length of the opening.
- Concentricity of "I" min. with respect to diameters "T" and "E" is not included in this standard. "I" min. is specified for filler tube only.
- "T" and "E" dimensions are the average of two measurements across the major and minor axis. The limits of ovality will be determined by the container supplier and container customer, as necessary.
- Consideration must be given to the sealing surface width for the sealing system being used.


NOTES:

- Dimension "H" is measured from the top of the finish to the point where diameter "T" extended parallel to the centerline, intersects the shoulder or bead.
- A MINIMUM of 1 full turn of the thread shall be maintained.
- Contour of bead, undercut or shoulder is optional.
- Unless otherwise specified, "I" min. applies to the full length of the opening.
- Concentricity of "I" min. with respect to diameters "T" and "E" is not included in this standard. "I" min. is specified for filler tube only.
- "T" and "E" dimensions are the average of two measurements across the major and minor axis. The limits of ovality will be determined by the container supplier and container customer, as necessary.
- Consideration must be given to the sealing surface width for the sealing system being used.



"L" STYLE THREAD ALL PURPOSE THREAD (PLASTIC OR METAL CLOSURES)

T.P.I.	a	b	c	R ₁
5	.120	.060	.051	.020
6	.094	.047	.040	.020
8	.084	.042	.036	.020



"M" STYLE THREAD MODIFIED BUTTRESS THREAD (PLASTIC CLOSURES)

T.P.I.	a	b	c	R ₁	R ₂
5	.120	.060	.049	.010	.030
6	.094	.047	.039	.010	.030
8	.084	.042	.035	.010	.030

